Connecting the Dots in News Analysis: Bridging the Cross-Disciplinary Disparities in Media Bias and Framing

Gisela Vallejo¹ Timothy Baldwin^{1,2} Lea Frermann¹ ¹The University of Melbourne ²MBZUAI gvallejo@student.unimelb.edu.au, {tbaldwin,lfrermann}@unimelb.edu.au

Abstract

The manifestation and effect of bias in news reporting have been central topics in the social sciences for decades, and have received increasing attention in the NLP community recently. While NLP can help to scale up analyses or contribute automatic procedures to investigate the impact of biased news in society, we argue that methodologies that are currently dominant fall short of capturing the complex questions and effects addressed in theoretical media studies. This is problematic because it diminishes the validity and safety of the resulting tools and applications. Here, we review and critically compare task formulations, methods and evaluation schemes in the social sciences and NLP. We discuss open questions and suggest possible directions to close identified gaps between theory and predictive models, and their evaluation. These include model transparency, considering document-external information, and cross-document reasoning.

1 Introduction

The depiction of complex issues in the media strongly impacts public opinion, politics, and policies (Ghanem, 1997; Giles and Shaw, 2009). Because a handful of global corporations own an increasing proportion of news outlets, the reach and impact of biased reporting are amplified (Hamborg, 2020). Although perfect neutrality is neither realistic nor desirable, media bias turns into an issue when it becomes systematic. If the public is unaware of the presence of bias, this can lead to dangerous consequences, including intolerance and ideological segregation (Baly et al., 2020).

Figure 1 illustrates the concepts of framing and media bias adopted in this paper, using the passing of the Respect for Marriage Act as an example. *Framing* refers to the emphasis of selected facts with the goal of eliciting a desired interpretation or reaction in the reader (Entman, 2007). The leftleaning article in Figure 1 leads with an uplifiting




Figure 1: Two articles about the same event written from different political ideologies (Source: allsides.com).

picture of a wedding and emphasizes bill support, evoking a positive framing of new opportunities for same-sex couples; while the right-leaning article focuses on disputes in both image and text, framing the issue in a more negative light. Political bias refers to partisan slanted news stories, or the "tendency to deviate from an accurate, neutral, balanced, and impartial representation of 'reality' of events and social world" (McQuail and Deuze, 2020), which can be a result of a selected framing. In Figure 1, each document was flagged as far-left and far-right ideological leaning, respectively, on the basis of their publishing media outlets. Political bias is typically deliberate (Williams, 1975) while framing may be inadvertent and caused by external pressures such as space limitations.

Framing and media bias have been under active research in different subfields of the social sciences. Angles of study include the manifestation of frames in the mass media and their effects on public opinion (communication sciences); the impact of frames in groups' and individuals' sensemaking of the world (social psychology; sociology) or on their observable behaviour (economics and political science). We focus on the first notion: systematic analyses of framing bias in the mass media, through manual coding, or with NLP technology. In this paper, we will collectively refer to the studies of communication and mass media as social sciences.

With the increasing pace and almost complete digitisation of news reporting there is a need and opportunity to scale the analysis of media bias (Parasie, 2022). Besides, evidence suggests that exposing media bias promotes healthy public debate, aids journalists to increase thoroughness and objectivity, and promotes critical news consumption (Dallmann et al., 2015). We discuss the specific role of NLP in this context in Section 5.

1.1 Contribution and Approach

We relate the NLP research landscape on framing and media bias prediction to typical research questions and hypotheses in the social sciences. We tease out disconnects across disciplines, and make concrete suggestions on how social science approaches can improve NLP methodology, and how NLP methods can more effectively aid social science scholars in their analyses and underpin technology to raise awareness of media bias.

Hamborg et al. (2019) present an overview of traditional and computational approaches to media bias, including detailed definitions of bias types and their emergence in the context of news production. We complement this survey by contextualising recent approaches in NLP with dominant questions and approaches in the social sciences. Ali and Hassan (2022) review computational approaches to modelling framing providing a systematic overview of NLP and machine learning methods. In contrast, we critically review the methodological decisions along the higher-level NLP pipeline: data (Section 4.1), problem formulation (Section 4.2), and evaluation (Section 4.3), link them back to social science methodology, and pinpoint gaps between the two disciplines. We motivate our focus with a case study in Section 3.

We obtained an up-to-date inventory of NLP approaches to media bias and framing, as well as a representative body of corresponding work in the relevant social science disciplines as follows. We collected relevant NLP benchmark data sets (Table 1) and the papers that addressed them for a broad-coverage overview of approaches in the field.

We complement this with social science papers departing from citations in Hamborg et al. (2019). Here, we do not attempt a systematic literature review, but rather present a *representative* body of work across the fields.¹ We excluded papers that a) duplicated methodologies, b) provided redundant definitions, or c) focused on unrelated topics. From this selection process, our final corpus comprises 63 papers (36 framing, 27 media bias), which were considered for further analysis, also listed in Appendix A.

2 Background: Framing and Media Bias

Framing and *politically biased news reporting* are two strategies to systematically promote specific perspectives on contested issues. We note that not every presence of framing is political bias and not all political bias is represented as framing but their intersection can reinforce each other's impact. They are overlapping concepts which have been addressed jointly or with similar methods in NLP. As such, we include both strategies in this survey.

Framing has been conceptualised variously in different social science disciplines. Prevalent notions of framing include equivalence framing - presenting the same logical information in different forms (Cacciatore et al., 2016) - and emphasis framing – highlighting particular aspects of an issue to promote a particular interpretation (Entman, 2007). Additionally, framing has been conceptualised as a process (de Vreese, 2005; Entman, 2007; Chong and Druckman, 2007), a communication tool (Scheufele, 1999), or a political strategy (Roy and Goldwasser, 2020). Frames have been conceptualised within different dichotomies. de Vreese (2005) distinguishes issue-specific and issue-generic frames which apply to only a single or across several issues, respectively. Scheufele (1999) differentiates between media frames, as embedded in the political discourse, and audience frames, as the reader's interpretation of an issue. Finally, Iyengar (1991) defines episodic framing as portraying an issue with an individual example compared to *thematic framing*, which takes broader context into account. Here, we cover both issue-specific and issue-generic frames and attach to Entman (2007)'s notion of emphasis framing.

While framing is a priori detached from partisan

¹We intentionally depart from the traditional approach of selecting the top N results from a research anthology for a few simple queries, as this would would not capture the diversity of works both in terminology and publication venues.




Figure 2: Illustration of the three disconnects: framing is both local and global (blue), dynamic (green) and best identified through comparative analysis (yellow).

views, political bias refers to an explicit association of an article or media outlet with a specific political leaning. Both concepts result in biased news reporting, and correspondingly NLP researchers have attempted to address them jointly, either by investigating political framing (Roy and Goldwasser, 2020) or by identifying correlations between framing and partisan slanted articles (Ziems and Yang, 2021). NLP studies have attempted automatic media bias identification under several names, including: hyper-partisan news detection (Kiesel et al., 2019), media bias detection (Spinde et al., 2021b; Lei et al., 2022), identification of biased terms (Spinde et al., 2021a), and political ideology detection (Iyyer et al., 2014; Kulkarni et al., 2018). Their common goal is to detect and classify the bias of a data sample towards a particular political ideology. Many of these approaches naturally relate to investigating how the story is told (i.e., framing).

3 Three Disconnects

To illustrate the disconnects between the social sciences and NLP, we use a representative study of media bias from the communication sciences (Hernández, 2018) which investigates the framing of domestic violence in the South China Morning Post. The author formulates two research questions:

- 1. Framing functions: Are femicides recognized as a problem of domestic violence? What are their causes, and the solutions proposed?
- 2. Frame narratives: What are the main narratives? And which sources are cited in support?

The first research question considers the *local* written aspects within each news article. Specifically, it studies the causes and solutions presented, grounded in Entman (1993)'s conceptualisation of framing in terms of a problem, its cause, and its solution. The second research question relates these

local aspects to a *global* (cross-document) view by contrasting narratives that present domestic violence as isolated incidents with those that treat it as a societal problem. It further connects the articles to extrinsic variables, including the sources used and cultural contexts of the story (e.g. whether the article refers the role of women in the Chinese family or understands domestic violence through the lens of the Confucian philosophy). Furthermore, the study considers articles over an extended period, capturing the temporal development of framing and bias. In contrast, current NLP approaches to frame prediction have predominantly adopted a single-label prediction approach per unit of analysis (Baumer et al., 2015; Naderi and Hirst, 2017; Liu et al., 2019), rather than treating frames as structures which could decompose into aspects like cause vs. solution (but see Akyürek et al. (2020); Mendelsohn et al. (2021); Frermann et al. (2023) for recent exceptions). Current approaches furthermore treat units of analysis (sentences, articles) as independent without considering links across documents, across time, or to document-external context. The multi-level and dynamic understanding of bias and framing is fundamental in the social science studies. In sum, we identify three fundamental properties of bias and framing that underpin social science research on bias and framing, and we also visually represent them in Figure 2:

Framing/bias is local and global It is local, because an article can contain several frames, and it is global because understanding the framing of an article may require to aggregate local frames and link them with information such as cited (or omitted) sources, or the outlets' political leaning.

Framing/bias is dynamic Frames change across time, outlets, countries, and communities. Understanding the *dynamics* of framing can shed light on trends and the impact of a sustained exposure to biased reporting on readers' opinions.

Framing/bias as a comparative task Media bias and framing are most apparent when directly contrasting articles from different perspectives, places or times (cf., Figure 1). Formulating our task in a comparative way – rather than predicting instance labels in isolation – may improve the quality, reliability and interpretability of predictions.

Only 14.3% of our surveyed papers (N=9) address the global vs local aspect, 9.5% (N=6) explore the dynamics, and 1.6% (N=1) tackle fram-

ing bias as a comparative task over two or more data samples on the same event. The full list of papers and their categorisation can be found in Appendix A. The remainder of this article links these fundamental disconnects to the more practical research design decisions that arise across both disciplines: data, methods and evaluation.

4 A Critical Review of Current Practices in NLP and Social Science

To increase its potential for impact, NLP research needs to reconsider framing and political bias across the entire research pipeline. This includes refining benchmarks, methodologies, and evaluation strategies. In this section, we make recommendations for each component: exploring new aspects of existing datasets, moving beyond single-label classification and incorporating linguistic features as well as external information, and providing transparent and reliable evaluation outputs with error analyses. We critically compare approaches across NLP and the social sciences, pointing out discrepancies together with practical suggestions for future work.

4.1 Datasets

Social science studies are characterised by carefully collated data sets which are, however, typically small in size (\ll 100 articles) and manual labels are rarely released to the public. Hence we focus on limitations and opportunities of NLP framing and bias benchmarks in this section. Table 1, lists relevant datasets, along with details on their labels, size, tasks and unit of analysis.

Media bias detection At the *sentence level*, Lim et al. (2020) used crowdsourcing to annotate sentences on 46 English-language news articles about 4 different events with four levels of bias (notbiased, slightly biased, biased, or very biased). Spinde et al. (2021b) released BABE ("Bias Annotations By Experts"), a collection of sentences labelled by experts according to binary categories: biased and non-biased, at the sentence and word levels. Fan et al. (2019) provided the BASIL ("Bias Annotation Spans on the Informational Level") dataset containing sentence (span) and word-level annotations of political leaning and sentiment (stance) towards entities in the article.

At the *document level*, the Bitterlemons corpus (Lin et al., 2006), comprises weekly issues about the Palestine–Israel conflict. Each issue contains

articles from Palestinian and Israeli perspectives written by the portal's editors and guest authors. Despite being intended for document classification, this dataset can be employed to explore framing and political bias, given the documents' nature of strong bias towards one side of the conflict. Additionally, the web portal AllSides² categorises news outlets into three political ideologies: right, centre, and left (they also offer a finer-grained five-point scale annotation: left, lean left, centre, lean right, right) with the aim to provide all political perspectives on a given story (cf., Figure 1) including expert manual assigned categories at the article level. Several research groups have contributed datasets scraped from AllSides (Chen et al., 2018; Baly et al., 2020; Liu et al., 2022b; Lee et al., 2022).

Framing At the *headline level*, Liu et al. (2019) released the Gun Violence Frame Corpus (GVFC). It includes headlines about gun violence in news articles from 2016 and 2018 in the U.S., labelled with frames like politics, economics, and mental health. Tourni et al. (2021) released a multi-modal version of the GVFC collection, including the main image associated with each article, and annotations about relevance and framing at the image level.

At the document level, the Media Frames Corpus (MFC, Card et al., 2015) is the currently most extensive frame-labeled data set available. It includes articles from 13 U.S. newspapers on three policy issues: immigration, same-sex marriage, and smoking. This dataset is intended to enable the analysis of policy issue framing, providing annotations at document and span levels with frames like morality, economic, and cultural. More recently, Piskorski et al. (2023a) released a multilingual multifaceted data collection that includes framing as one of the facet with 14 generic framing dimensions at the document level, inspired in the MFC's annotation. Ziems and Yang (2021) contribute a police violence news articles collection (PVFC) that can be categorised in both domains, media bias and framing. They provide annotations for political leaning: conservative, liberal or none and also entity-centric frames, including the victim's age, race, and gender.

Opportunities for Future Work. In Section 3, we propose three main aspects to investigate framing and media bias. (1) *Conducting studies at a local and global level*. McLeod et al. (2022) suggest that framing can occur at different textual units in a

²https://www.allsides.com/about

| Dataset | Categories | Size | Unit of Analysis | Task |
|--|---|-------------------|--------------------------|-----------------------------------|
| Bitterlemons (Lin et al., 2006) | Perspective (Israel, Palestine) | 594 | Documents | Classification |
| Flipper (Chen et al., 2018) | Left, Centre, Right | 6,447 | Documents | Classification |
| BASIL (Fan et al., 2019) | Liberal, Conservative, Centre; Pos, Neu, Neg | 1.2k / 448 300 | Spans/Words Documents | Classification |
| AllSides (Baly et al., 2020) | Left, Centre, Right | 34k | Documents | Classification |
| BiasedSents (Lim et al., 2020) | not-, slightly-, very-, biased | 966 | Sentences | Classification |
| BABE (Spinde et al., 2021b) | Biased, Non-biased | 3.7k | Sentences | Classification |
| BIGNEWSALIGN (Liu et al., 2022b) | Left, Centre, Right | 1 M | Documents | Classification |
| NeuS (Lee et al., 2022) | Left, Centre, Right | 10.6k | Documents | Cross-Doc Summarisation |
| MFC (Card et al., 2015) | 15 Frames | 61.5k/ | Sentences/ | Classification |
| | | 11.9k | Documents | |
| GVFC (Liu et al., 2019) | 9 Frames | 2.99k | Headlines | Classification |
| Multimodal GVFC (Tourni et al., 2021) | 9 Frames | 1.3k | Headlines + Images | Classification |
| PVFC (Ziems and Yang, 2021) | Entity frames; Conservative, Liberal, none | 82k | Documents | Entity frame prediction |
| Narrative Frames (Frermann et al., 2023) | 3 entity roles; 5 frames | 428 | Documents | Multi-label frame prediction |
| SemEval-2023 Task 3 (Piskorski et al., 2023a) | 14 Generic frames | $\sim 1k$ | Documents | Multi-label/-class classification |

Table 1: Prominent benchmarks for political bias (top) and framing (bottom). We report size (number of data points), unit of analysis, supported task(s) and labels. All these data sets are in English and most of them U.S. centric.

document. Building on this idea, we propose a shift from single label classification on NLP datasets like AllSides, and Bitterlemons. As a concrete example, these corpora could be used to identify predictive sentences or spans for particular frames of political biases, and investigate commonalities. This can directly inform social scientists in their analyses as well as tools to expose biases to news consumers. Roy and Goldwasser (2020) used point-wise mutual information (Church and Hanks, 1990) over bigrams and trigrams to identify spans but found poor generalisation of the approach. Khanehzar et al. (2021) modelled latent frames at the event level, with not explicit validation. Other specific examples with existing data include: exploring the MFC sentence-level annotations to investigate local framing, and then aggregating these labels to gain a global perspective - an approach that, to our knowledge, has not been done before. Regarding datasets providing sentence-level (BABE) and headline (GVFC) annotation, this can be considered as a local dimension. However, they generalise from the headline to the entire document, which ignores the subtle signals in the local dimension. (2) The dynamics of framing on various levels are captured by current data sets: the MFC, BASIL, GVFC and BABE provide article timestamps, supporting diachronic modeling of bias and framing. While some studies exist in this domain (Kwak

et al., 2020; Card et al., 2022), the majority of NLP framing considers articles in isolation. Other dynamics, e.g., across countries, communities or media types (e.g., news vs. blogs) are of central interest in communication studies but less achievable with existing data sets. Constructing cross-language and/or cross-cultural data sets with articles aligned on the event level is an important first step. (3) *Framing as a comparative task.* We propose that researchers explore cross-document differences in their presentation of a specific issue. More concrete, several of the datasets obtained from AllSides include event-level alignment and hence enable comparison across documents on the left–centre–right spectrum at a finer granularity.

4.2 Methodologies

In NLP, researchers have approached media bias as political ideology detection or framing categorisation using different task formulations. The first and most common strategy is *single-label classification*, i.e. assigning a single label to each data point. At the *word level*, Recasens et al. (2013) learn linguistic features from word removal editlogs in Wikipedia. Spinde et al. (2021a) compared the Euclidean distance of word embeddings to identify biased words in articles from Huffington Post (left wing) and Breitbart News (right wing). And Liu et al. (2021) experimented with identifying and replacing bias-inducing words with neutral ones using salience scores over word embeddings.

At the sentence level, Iyyer et al. (2014) used RNNs to identify political ideology in sentences in congressional debate transcripts and articles from the Ideological Book corpus. Using the BASIL corpus, Hartmann et al. (2019) correlated sentence and document distributions using a Gaussian mixture model (Reynolds, 2009) to identify biased sentences; Chen et al. (2020a) classified biased spans by calculating their probability distributions on news articles; and Guo and Zhu (2022) applied contrastive learning and created sentence graphs to categorise biased sentences. Other researchers translated keywords from GVFC into several languages, and fine-tuned mBERT to classify frames in news headlines in languages other than English (Akyürek et al., 2020; Aksenov et al., 2021).

At the document level, there has been substantial work building on the MFC corpus. The task has been approached with RNNs (Naderi and Hirst, 2017), attention and discourse information (Ji and Smith, 2017), and pre-trained transformer models (Khanehzar et al., 2019). Baly et al. (2020) combined adversarial adaptation and adapted triple loss with features like Twitter and Wikipedia information about the readers and the outlet to classify the political ideology of news articles. More recently, Chen et al. (2020b) analysed patterns at different granularities (from word to discourse) to identify media bias and Hong et al. (2023) developed a multi-head hierarchical attention model to identify biased sentences focusing on their semantic and aggregating those for political bias document classification. Scholars have performed similar tasks on languages other than English, e.g. by translating English keywords in MFC to Russian to investigate the U.S. framing in Russian media over 13 years (Field et al., 2018).

Some work has formalized framing/bias detection as *multi-label classification*, typically adopting unsupervised methods like clustering (Ajjour et al., 2019) or topic modelling (Tsur et al., 2015; Menini et al., 2017) which allows to 'softly' assign documents to more than one cluster. In a supervised manner, Mendelsohn et al. (2021) employ RoBERTa to classify multiple framing typologies on immigration-related tweets. Similarly, Akyürek et al. (2020) address multi-label framing over headlines using different configurations of BERT. Both works focus on short documents (headlines or articles capped at 280 characters). The very recent work of Frermann et al. (2023) is the first to address document-level multi-label frame classification. Rather than unstructured, 'topic-like' frame detection, some works anchored framing in the depiction of important stakeholders, also referred to as *entity framing* (Ziems and Yang, 2021; Khanehzar et al., 2023).

While we focus on frame and bias *detection*, NLP has also proposed methods for *mitigation*, e.g., by flipping of bias of headlines (Chen et al., 2018) or generating neutral summaries from a collection of biased articles on the same topic (Lee et al., 2022). These applications come with their own sets of methodological and evaluation challenges, as well as ethical risks, and are beyond the scope of this paper. We advocate for the alternative approach of highlighting frames in multiple articles and presenting them side-by-side as illustrated in Figure 1, as a safer and potentially more effective approach in raising awareness of bias and framing.

In the social sciences, approaches tend to be manual, with fewer data samples. One common approach is to reason across many documents from a high-level perspective. For example, Chyi and McCombs (2004) design and evaluate a twodimensional framework (spatial and temporal) to investigate framing changes over time in 170 news articles in American English about a U.S. school shooting event. They manually annotated articles with the signals indicating both of the frame typologies, quantified those annotations and draw conclusions about the temporal and spatial framing behaviour in the inspected articles. Muschert and Carr (2006) assessed the previously-proposed framework based on 290 news documents, and confirmed that the present temporal dimension frame still holds when using data from more than one school shooting. Hernández (2018) analysed the framing of 124 news stories from the South China Morning Post (SCMP) about femicides by manually coding the articles and quantifying those observations. The author explored whether those cases were portrayed as isolated cases or part of a systematic social problem, by manually analysing signals like narratives, sources, and the role of the entities.

Communication science studies often *correlate* features of news reports with extra-textual information to formulate or validate their hypotheses. For example, McCarthy et al. (2008) assess media bias in reporting on demonstrations. They examine media coverage of protests during Belarus's transition from communism, considering factors like protest size, sponsors' status, arrests, and their correlation with media coverage. Similarly, Gentzkow and Shapiro (2010) investigate media bias by calculating think tank citation frequencies in media outlets and correlating them with U.S. Congress members mentioning the same groups.

Opportunities for Future Work. There is a stark disconnect between largely *local* approaches to frame modelling in NLP and the focus on dynamic and global questions explored in framing/bias studies in the social sciences. These arguably more complex questions emerging from the social sciences can guide the development of NLP methodologies. Specifically, capturing subtle signals, including the metaphoric or technical (legal) language use, the correlation with external features, e.g. a report's sources, and the broader cultural context in which an article emerged can enrich news framing and bias analysis. Examples at a linguistic level include enriching framing models with notions of metaphoric (Chakrabarty et al., 2022; Liu et al., 2022a) or subjective (Barrón-Cedeño et al., 2023) language. On the cross-document and dynamic level, we propose to address bias and frame classification as a comparative task rather than classifying documents in isolation. This can help induce frames from data by analysing axes of largest variation; and can naturally support tools and applications to raise readers' bias awareness by exposing them to contrasting perspectives on the same issue. Contextualising framing models with extra-textual, cultural context is arguably the most challenging gap to fill. While it is tempting to suggest the use of large language models to draw some of these connections, we strongly argue for using them at most as an aid for human domain experts, and to scrutinise any automatic predictions due to the known intrinsic biases in these models.

4.3 Evaluation

We consider two levels of validation: validating data annotations, and validating model predictions.

Validating annotations Validating the quality of labelled data applies to both the social sciences and NLP. In a typical social science study, the distribution of manual labels is the main factor for accepting or rejecting hypotheses. As such, measures for data quality such as inter-coder reliability (ICR) are routinely reported and a core requisite of the study to ensure that the codebook was correctly conceptualised. Coding often includes discussions and

several iterations on trial data (Hernández, 2018), leading to relatively high ICR scores from carefully trained annotators, often with domain knowledge. For robust NLP model training and validation, reliable annotations are essential. While the assessment of bias or framing are subjective to some extent – as the assessment of framing depends on the annotator's predispositions – the development of *scalable* annotation frameworks that minimise subjectivity is an important open problem.

Validating (model) predictions Social science studies are largely analytical examining labelled data, qualitatively based on manual analysis, and quantitatively based on statistical tests. In contrast, NLP framing studies primarily rely on empirical methods, evaluating through numerical comparisons with ground truth labels. We propose a shift towards deeper insights, assessing a model's ability to capture framing and political bias on a higher, more abstract level, while also fostering fresh insights into the data. Current approaches fall short of drawing inferences from explicit information, such as assessing story objectivity and factuality. These nuanced, graded strategies require more comprehensive metrics than binary accuracy.

Opportunities for Future Work. We particularly suggest the consequent adoption of three levels of evaluation: (1) model performance, (2) error analysis, and (3) measuring model certainty. While the three levels are by no means new, NLP work continues to focus on (1), with (2) and (3)given less thought and rigour. NLP research on media bias would benefit from established standards that guide the error analysis as well as measures of model reliability and (un)certainty. Such standards might include reporting of 'most challenging' classes and/or instances; categorization of errors; as well as exploring reasons for such short comings (Vilar et al., 2006; Kummerfeld and Klein, 2013). Finally, with the increasing impact of NLP technology on the broader public, users of resulting models (be it news consumers or social science researchers), must have access to model confidence scores to assess the reliability of model predictions, as per point (3).

5 Discussion

Harmonising depth and scale The differences in data sets and evaluation between the disciplines naturally follow from their respective goals. Framing studies in the social sciences aim to uncover the principles underlying framing and its effects through careful, manual analysis of limited amounts of data, typically grounded in theoretical constructs. The primary goal of NLP in the space of media analysis is automation and scalability. Complex annotation of large training data sets as required for supervised approaches is infeasible. Besides, the required structured annotation paradigms would result in sparse observations of label co-occurrence which in turn would require even larger labelled corpora - and exploding annotation costs. Harmonising the goal of scalability with depth and theoretical rigour is a difficult problem (that is not specific to the domain of framing and media bias). One approach towards addressing this problem is the use of semi- or unsupervised approaches, which limit the annotations to evaluation sets of more manageable size. Incorporating small amounts of labelled data with powerful pre-trained models is an obvious methodological approach, however, ensuring the validity of predictions and interplay of biases encoded in these models with the target task at hand is an open and important research problem - particularly in a sensitive domain like media bias analysis.

Feasible yet valid annotation How can we obtain ecologically valid annotations in an efficient way and sufficient quantity? We suggest to follow a common strategy in the social sciences: break articles into self-contained segments, on the event or argument level (Muschert and Carr, 2006). While recent work on argumentation in online debates has followed a similar approach of segmenting contributions into arguments and annotating frames on the argument level (Ajjour et al., 2019), it has not been applied in the news media context. Localised rather than article-level annotations have three advantages: (1) a cognitively easier task for annotators; (2) interpretability through the possibility to provide local, extractive evidence for frame predictions; and (3) a richer document-model of framing that goes beyond the single most likely frame.

Cross-disciplinary expertise for documentexternal grounding Section 3 pointed to a need for multi-level bias analysis, incorporating local, cross-document and broader cultural contexts. Most NLP work models individual articles without integrating external information or other articles in the collection. A few exceptions exist, including Baly et al. (2020) who incorporate readership demographics from Twitter and publisher information from Wikipedia; and Kulkarni et al. (2018) who incorporate article link structure into their models. Both works still model data points in isolation, and fall short of incorporating the more subtle cultural, political or societal contexts that inevitably interact with news framing. We argue for a strong role of cross-disciplinarity and human oversight when incorporating those factors, involving domain experts at every step from formulating research questions to model design, transparency, robustness, and evaluation. Cross-disciplinary projects would guide NLP researchers to develop novel methods that are valid and useful for studying the fundamentals of framing and media bias, and equip social scientists with enlarged data sets of high quality and relevance to enrich their research.

Open data NLP has a strong culture of sharing code and annotated data sets to encourage collaboration and reproducibility. This is less common in the humanities. Sharing this data more explicitly through cross-disciplinary dialogue could provide critical assessment and feedback from domain experts. It could drive research into combining large (and potentially noisier) data with small-scale (but high-quality) data sets from the social sciences, to address increasingly complex questions on the emergence and effects of media biases and framing.

The role of NLP in media bias analysis Despite a surge in data sets and models for automatic analysis of frames and media bias, the ultimate goal of these works receives surprisingly little attention. With the broader adoption of NLP methods diverse applications emerge - from supporting social scientists in scaling their research to larger data samples, to tools that highlight (or even edit) biased news to general public news consumers to expose slanted reporting. An explicit notion of goals and applications (and corresponding statement in research papers) will inform model evaluation, risks and ethical concerns to be discussed in the paper. A mandatory adoption of model cards (Mitchell et al., 2019) is one step in this direction. Irrespective of the final application of NLP research, we argue that NLP can contribute safe and valuable tools and methods only if it recognises the complexity of bias an framing both in its data sets and annotations as well as in its evaluation procedures.

6 Conclusion

We surveyed recent work in NLP on framing and media bias, and identified disconnects and synergies in datasets, methodologies, and validation techniques to research practices in the social sciences. Despite the opportunities for NLP to support and scale social science scholarship on media bias, a current oversimplification in conceptualisation, modelling, and evaluation limits the validity and reliability of contributions. We have teased out three disconnects and proposed directions for future work, including: (1) analysing news articles from a local and global perspective, incorporating external non-textual features; (2) taking into account the dynamics of framing and bias across documents, cultures or over time; and (3) tackling the issue of media bias as a comparative task, defining frames on the basis of systematic differences between articles whose origins differ on pre-defined characteristics. This would allow for a more complex characterisation of bias than the currently dominant approach of single-label classification.

Limitations

This survey focuses on media bias and 'frame building', i.e. the manifestation of biases and frames in news articles. This constrains the scope of our analysis to mainstream print news outlets; and leaves aside the dimension of 'frame setting', i.e. the effects of those frames on the news consumers. Additionally, we are aware that regardless of the approach taken for sampling the body of previous work included in this paper, given the vast literature in the social sciences, there will be remaining bias in our selection. With the aim of mitigating this bias, we point the reader to complementary surveys in this field, e.g. Hamborg et al. (2019) and Ali and Hassan (2022).

Ethics Statement

Identifying framing and political bias in news articles is a sensitive application area, and inevitably influenced by social and structural biases in the academic investigators and the pool of annotators. Datasets and technologies intending to tackle these phenomena comprise the social bias of annotators and researchers developing them in an environment lacking diversity. Besides there is a potential for dual use of models and benchmarks to promote polarisation and misinformation through framing, rather than reduce it. We see this paper as an opportunity to identify new directions to diversify NLP methodologies and data sets, grounded in bestpractices from the media sciences which have been developed for decades. We anticipate that these steps will, together with a better documentation of models and intended use cases, will help to address the above concerns.

Acknowledgements

We thank the anonymous reviewers for their feedback, which significantly improved this paper. We also thank Max Glockner and Vishakh Padmakumar for their constructive suggestions and feedback on this work. This article was written with the support from the graduate research scholarship from the Melbourne School of Engineering, University of Melbourne provided to GV. LF is supported by the Australian Research Council Discovery Early Career Research Award (Grant No. DE230100761).

References

- Yamen Ajjour, Milad Alshomary, Henning Wachsmuth, and Benno Stein. 2019. Modeling frames in argumentation. In Proceedings of the 2019 Conference on Empirical Methods in Natural Language Processing and the 9th International Joint Conference on Natural Language Processing (EMNLP-IJCNLP), pages 2922–2932, Hong Kong, China. Association for Computational Linguistics.
- Dmitrii Aksenov, Peter Bourgonje, Karolina Zaczynska, Malte Ostendorff, Julian Moreno-Schneider, and Georg Rehm. 2021. Fine-grained classification of political bias in German news: A data set and initial experiments. In *Proceedings of the 5th Workshop* on Online Abuse and Harms (WOAH 2021), pages 121–131, Online. Association for Computational Linguistics.
- Afra Feyza Akyürek, Lei Guo, Randa Elanwar, Prakash Ishwar, Margrit Betke, and Derry Tanti Wijaya. 2020. Multi-label and multilingual news framing analysis. In *Proceedings of the 58th Annual Meeting of the Association for Computational Linguistics*, pages 8614– 8624, Online. Association for Computational Linguistics.
- Mohammad Ali and Naeemul Hassan. 2022. A survey of computational framing analysis approaches. In *Proceedings of the 2022 Conference on Empirical Methods in Natural Language Processing*, pages 9335–9348, Abu Dhabi, United Arab Emirates. Association for Computational Linguistics.
- Ramy Baly, Giovanni Da San Martino, James Glass, and Preslav Nakov. 2020. We can detect your bias:

Predicting the political ideology of news articles. In *Proceedings of the 2020 Conference on Empirical Methods in Natural Language Processing (EMNLP)*, pages 4982–4991, Online. Association for Computational Linguistics.

- Alberto Barrón-Cedeño, Firoj Alam, Tommaso Caselli, Giovanni Da San Martino, Tamer Elsayed, Andrea Galassi, Fatima Haouari, Federico Ruggeri, Julia Maria Struß, Rabindra Nath Nandi, et al. 2023. The clef-2023 checkthat! lab: Checkworthiness, subjectivity, political bias, factuality, and authority. In *European Conference on Information Retrieval*, pages 506–517. Springer.
- Eric Baumer, Elisha Elovic, Ying Qin, Francesca Polletta, and Geri Gay. 2015. Testing and comparing computational approaches for identifying the language of framing in political news. In *Proceedings* of the 2015 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies, pages 1472–1482, Denver, Colorado. Association for Computational Linguistics.
- Michael A Cacciatore, Dietram A Scheufele, and Shanto Iyengar. 2016. The end of framing as we know it... and the future of media effects. *Mass communication and society*, 19(1):7–23.
- Dallas Card, Amber E. Boydstun, Justin H. Gross, Philip Resnik, and Noah A. Smith. 2015. The media frames corpus: Annotations of frames across issues. In Proceedings of the 53rd Annual Meeting of the Association for Computational Linguistics and the 7th International Joint Conference on Natural Language Processing (Volume 2: Short Papers), pages 438– 444, Beijing, China. Association for Computational Linguistics.
- Dallas Card, Serina Chang, Chris Becker, Julia Mendelsohn, Rob Voigt, Leah Boustan, Ran Abramitzky, and Dan Jurafsky. 2022. Computational analysis of 140 years of US political speeches reveals more positive but increasingly polarized framing of immigration. *Proceedings of the National Academy of Sciences*, 119(31):e2120510119.
- Tuhin Chakrabarty, Yejin Choi, and Vered Shwartz. 2022. It's not rocket science: Interpreting figurative language in narratives. *Transactions of the Association for Computational Linguistics*, 10:589–606.
- Wei-Fan Chen, Khalid Al Khatib, Benno Stein, and Henning Wachsmuth. 2020a. Detecting media bias in news articles using Gaussian bias distributions. In *Findings of the Association for Computational Linguistics: EMNLP 2020*, pages 4290–4300, Online. Association for Computational Linguistics.
- Wei-Fan Chen, Khalid Al Khatib, Henning Wachsmuth, and Benno Stein. 2020b. Analyzing political bias and unfairness in news articles at different levels of granularity. In *Proceedings of the Fourth Workshop* on Natural Language Processing and Computational

Social Science, pages 149–154, Online. Association for Computational Linguistics.

- Wei-Fan Chen, Henning Wachsmuth, Khalid Al-Khatib, and Benno Stein. 2018. Learning to flip the bias of news headlines. In Proceedings of the 11th International Conference on Natural Language Generation, pages 79–88, Tilburg University, The Netherlands. Association for Computational Linguistics.
- Dennis Chong and James N. Druckman. 2007. Framing theory. *Annual Review of Political Science*, 10(1):103–126.
- Kenneth Ward Church and Patrick Hanks. 1990. Word association norms, mutual information, and lexicography. *Computational Linguistics*, 16(1):22–29.
- Hsiang Iris Chyi and Maxwell McCombs. 2004. Media salience and the process of framing: Coverage of the Columbine school shootings. *Journalism & Mass Communication Quarterly*, 81(1):22–35.
- Alexander Dallmann, Florian Lemmerich, Daniel Zoller, and Andreas Hotho. 2015. Media bias in German online newspapers. In Proceedings of the 26th ACM Conference on Hypertext & Social Media, HT '15, page 133–137, New York, NY, USA. Association for Computing Machinery.
- Claes H. de Vreese. 2005. News framing: Theory and typology. *Information Design Journal*, 13(1):51–62.
- Robert M. Entman. 1993. Framing: Toward clarification of a fractured paradigm. *Journal of Communication*, 43(4).
- Robert M. Entman. 2007. Framing bias: Media in the distribution of power. *Journal of Communication*, 57(1):163–173.
- Lisa Fan, Marshall White, Eva Sharma, Ruisi Su, Prafulla Kumar Choubey, Ruihong Huang, and Lu Wang. 2019. In plain sight: Media bias through the lens of factual reporting. In Proceedings of the 2019 Conference on Empirical Methods in Natural Language Processing and the 9th International Joint Conference on Natural Language Processing (EMNLP-IJCNLP), pages 6343–6349, Hong Kong, China. Association for Computational Linguistics.
- Anjalie Field, Doron Kliger, Shuly Wintner, Jennifer Pan, Dan Jurafsky, and Yulia Tsvetkov. 2018. Framing and agenda-setting in Russian news: a computational analysis of intricate political strategies. In Proceedings of the 2018 Conference on Empirical Methods in Natural Language Processing, pages 3570– 3580, Brussels, Belgium. Association for Computational Linguistics.
- Lea Frermann, Jiatong Li, Shima Khanehzar, and Gosia Mikolajczak. 2023. Conflicts, villains, resolutions: Towards models of narrative media framing. In *Proceedings of the 61st Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, pages 8712–8732, Toronto, Canada. Association for Computational Linguistics.

- Matthew Gentzkow and Jesse M Shapiro. 2010. What drives media slant? evidence from U.S. daily news-papers. *Econometrica*, 78(1):35–71.
- Salma Ghanem. 1997. *Filling in the Tapestry: The Second Level of Agenda Setting*, 1 edition, pages 3–14. Routledge, New York.
- David Giles and Rachel L Shaw. 2009. The psychology of news influence and the development of media framing analysis. *Social and personality psychology compass*, 3(4):375–393.
- Kimberly Gross. 2008. Framing persuasive appeals: Episodic and thematic framing, emotional response, and policy opinion. *Political Psychology*, 29(2):169–192.
- Shijia Guo and Kenny Q. Zhu. 2022. Modeling multilevel context for informational bias detection by contrastive learning and sentential graph network. *CoRR*, abs/2201.10376.
- Felix Hamborg. 2020. Media bias, the social sciences, and NLP: Automating frame analyses to identify bias by word choice and labeling. In *Proceedings of the* 58th Annual Meeting of the Association for Computational Linguistics: Student Research Workshop, pages 79–87, Online. Association for Computational Linguistics.
- Felix Hamborg, Karsten Donnay, and Bela Gipp. 2019. Automated identification of media bias in news articles: An interdisciplinary literature review. *International Journal on Digital Libraries (IJDL)*, 20(4):391–415.
- Mareike Hartmann, Tallulah Jansen, Isabelle Augenstein, and Anders Søgaard. 2019. Issue framing in online discussion fora. In Proceedings of the 2019 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies, Volume 1 (Long and Short Papers), pages 1401–1407, Minneapolis, Minnesota. Association for Computational Linguistics.
- Miriam Hernández. 2018. "Killed out of love": A frame analysis of domestic violence coverage in Hong Kong. *Violence Against Women*, 24(12):1454–1473.
- Jiwoo Hong, Yejin Cho, Jiyoung Han, Jaemin Jung, and James Thorne. 2023. Disentangling structure and style: Political bias detection in news by inducing document hierarchy. In *Findings of the Association for Computational Linguistics: EMNLP 2023*, pages 5664–5686, Singapore. Association for Computational Linguistics.
- Shanto Iyengar. 1991. *Is anyone responsible? how television frames political issues.* American Politics and Political Economy Series. University of Chicago Press, Chicago.

- Mohit Iyyer, Peter Enns, Jordan Boyd-Graber, and Philip Resnik. 2014. Political ideology detection using recursive neural networks. In *Proceedings of the* 52nd Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers), pages 1113–1122, Baltimore, Maryland. Association for Computational Linguistics.
- Yangfeng Ji and Noah A. Smith. 2017. Neural discourse structure for text categorization. In Proceedings of the 55th Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers), pages 996–1005, Vancouver, Canada. Association for Computational Linguistics.
- Shima Khanehzar, Trevor Cohn, Gosia Mikolajczak, and Lea Frermann. 2023. Probing power by prompting: Harnessing pre-trained language models for power connotation framing. In Proceedings of the 17th Conference of the European Chapter of the Association for Computational Linguistics, pages 873– 885, Dubrovnik, Croatia. Association for Computational Linguistics.
- Shima Khanehzar, Trevor Cohn, Gosia Mikolajczak, Andrew Turpin, and Lea Frermann. 2021. Framing unpacked: A semi-supervised interpretable multi-view model of media frames. In Proceedings of the 2021 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies, pages 2154–2166, Online. Association for Computational Linguistics.
- Shima Khanehzar, Andrew Turpin, and Gosia Mikolajczak. 2019. Modeling political framing across policy issues and contexts. In Proceedings of the The 17th Annual Workshop of the Australasian Language Technology Association, pages 61–66, Sydney, Australia. Australasian Language Technology Association.
- Johannes Kiesel, Maria Mestre, Rishabh Shukla, Emmanuel Vincent, Payam Adineh, David Corney, Benno Stein, and Martin Potthast. 2019. SemEval-2019 task 4: Hyperpartisan news detection. In Proceedings of the 13th International Workshop on Semantic Evaluation, pages 829–839, Minneapolis, Minnesota, USA. Association for Computational Linguistics.
- Vivek Kulkarni, Junting Ye, Steve Skiena, and William Yang Wang. 2018. Multi-view models for political ideology detection of news articles. In Proceedings of the 2018 Conference on Empirical Methods in Natural Language Processing, pages 3518– 3527, Brussels, Belgium. Association for Computational Linguistics.
- Jonathan K. Kummerfeld and Dan Klein. 2013. Errordriven analysis of challenges in coreference resolution. In Proceedings of the 2013 Conference on Empirical Methods in Natural Language Processing, pages 265–277, Seattle, Washington, USA. Association for Computational Linguistics.
- Haewoon Kwak, Jisun An, and Yong-Yeol Ahn. 2020. A systematic media frame analysis of 1.5 million

new york times articles from 2000 to 2017. In *12th ACM Conference on Web Science*, page 305–314, Southampton United Kingdom. ACM.

- Nayeon Lee, Yejin Bang, Tiezheng Yu, Andrea Madotto, and Pascale Fung. 2022. NeuS: Neutral multi-news summarization for mitigating framing bias. In Proceedings of the 2022 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies, pages 3131–3148, Seattle, United States. Association for Computational Linguistics.
- Yuanyuan Lei, Ruihong Huang, Lu Wang, and Nick Beauchamp. 2022. Sentence-level media bias analysis informed by discourse structures. In Proceedings of the 2022 Conference on Empirical Methods in Natural Language Processing, pages 10040–10050, Abu Dhabi, United Arab Emirates. Association for Computational Linguistics.
- Sora Lim, Adam Jatowt, Michael Färber, and Masatoshi Yoshikawa. 2020. Annotating and analyzing biased sentences in news articles using crowdsourcing. In *Proceedings of the Twelfth Language Resources and Evaluation Conference*, pages 1478–1484, Marseille, France. European Language Resources Association.
- Wei-Hao Lin, Theresa Wilson, Janyce Wiebe, and Alexander Hauptmann. 2006. Which side are you on? identifying perspectives at the document and sentence levels. In *Proceedings of the Tenth Conference on Computational Natural Language Learning* (*CoNLL-X*), pages 109–116, New York City. Association for Computational Linguistics.
- Emmy Liu, Chenxuan Cui, Kenneth Zheng, and Graham Neubig. 2022a. Testing the ability of language models to interpret figurative language. In *Proceedings* of the 2022 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies, pages 4437–4452, Seattle, United States. Association for Computational Linguistics.
- Ruibo Liu, Lili Wang, Chenyan Jia, and Soroush Vosoughi. 2021. Political depolarization of news articles using attribute-aware word embeddings. In *Proceedings of the Fifteenth International AAAI Conference on Web and Social Media, ICWSM 2021, held virtually, June 7-10, 2021*, pages 385–396. AAAI Press.
- Siyi Liu, Lei Guo, Kate Mays, Margrit Betke, and Derry Tanti Wijaya. 2019. Detecting frames in news headlines and its application to analyzing news framing trends surrounding U.S. gun violence. In Proceedings of the 23rd Conference on Computational Natural Language Learning (CoNLL), pages 504– 514, Hong Kong, China. Association for Computational Linguistics.
- Yujian Liu, Xinliang Zhang, Kaijian Zou, Ruihong Huang, Nicholas Beauchamp, and Lu Wang. 2023. All things considered: Detecting partisan events from

news media with cross-article comparison. In *Proceedings of the 2023 Conference on Empirical Methods in Natural Language Processing*, pages 15472–15488, Singapore. Association for Computational Linguistics.

- Yujian Liu, Xinliang Frederick Zhang, David Wegsman, Nicholas Beauchamp, and Lu Wang. 2022b. POLI-TICS: Pretraining with same-story article comparison for ideology prediction and stance detection. In *Findings of the Association for Computational Linguistics: NAACL 2022*, pages 1354–1374, Seattle, United States. Association for Computational Linguistics.
- John McCarthy, Larissa Titarenko, Clark McPhail, Patrick Rafail, and Boguslaw Augustyn. 2008. Assessing stability in the patterns of selection bias in newspaper coverage of protest during the transition from communism in Belarus. *Mobilization: An International Quarterly*, 13(2):127–146.
- Douglas M McLeod, Hyesun Choung, Su Min-Hsin, Kim Sang-Jung, Ran Tao, Jiawei Liu, and ByungGu Lee. 2022. Navigating a diverse paradigm: A conceptual framework for experimental framing effects research. *Review of communication research*, 10.
- Denis McQuail and Mark Deuze. 2020. *Mcquail's media and mass communication theory*, 7th ed edition. SAGE Publications, Thousand Oaks.
- Julia Mendelsohn, Ceren Budak, and David Jurgens. 2021. Modeling framing in immigration discourse on social media. In *Proceedings of the 2021 Conference* of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies, pages 2219–2263, Online. Association for Computational Linguistics.
- Stefano Menini, Federico Nanni, Simone Paolo Ponzetto, and Sara Tonelli. 2017. Topic-based agreement and disagreement in US electoral manifestos. In Proceedings of the 2017 Conference on Empirical Methods in Natural Language Processing, pages 2938–2944, Copenhagen, Denmark. Association for Computational Linguistics.
- Margaret Mitchell, Simone Wu, Andrew Zaldivar, Parker Barnes, Lucy Vasserman, Ben Hutchinson, Elena Spitzer, Inioluwa Deborah Raji, and Timnit Gebru. 2019. Model cards for model reporting. In Proceedings of the conference on fairness, accountability, and transparency, pages 220–229.
- Glenn W. Muschert and Dawn Carr. 2006. Media salience and frame changing across events: Coverage of nine school shootings, 1997–2001. Journalism & Mass Communication Quarterly, 83(4):747–766.
- Nona Naderi and Graeme Hirst. 2017. Classifying frames at the sentence level in news articles. In *Proceedings of the International Conference Recent Advances in Natural Language Processing, RANLP* 2017, pages 536–542, Varna, Bulgaria. INCOMA Ltd.

- Sylvain Parasie. 2022. Computing the news : data journalism and the search for objectivity. Columbia University Press New York, New York.
- Jakub Piskorski, Nicolas Stefanovitch, Giovanni Da San Martino, and Preslav Nakov. 2023a. SemEval-2023 task 3: Detecting the category, the framing, and the persuasion techniques in online news in a multi-lingual setup. In *Proceedings of the 17th International Workshop on Semantic Evaluation (SemEval-2023)*, pages 2343–2361, Toronto, Canada. Association for Computational Linguistics.
- Jakub Piskorski, Nicolas Stefanovitch, Nikolaos Nikolaidis, Giovanni Da San Martino, and Preslav Nakov. 2023b. Multilingual multifaceted understanding of online news in terms of genre, framing, and persuasion techniques. In Proceedings of the 61st Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers), pages 3001–3022, Toronto, Canada. Association for Computational Linguistics.
- Marta Recasens, Cristian Danescu-Niculescu-Mizil, and Dan Jurafsky. 2013. Linguistic models for analyzing and detecting biased language. In *Proceedings* of the 51st Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers), pages 1650–1659, Sofia, Bulgaria. Association for Computational Linguistics.
- Douglas A. Reynolds. 2009. Gaussian mixture models. In Stan Z. Li and Anil K. Jain, editors, *Encyclopedia* of *Biometrics*, pages 659–663. Springer US.
- Shamik Roy and Dan Goldwasser. 2020. Weakly supervised learning of nuanced frames for analyzing polarization in news media. In *Proceedings of the* 2020 Conference on Empirical Methods in Natural Language Processing (EMNLP), pages 7698–7716, Online. Association for Computational Linguistics.
- Dietram A. Scheufele. 1999. Framing as a theory of media effects. *Journal of Communication*, 49(1):103–122.
- Timo Spinde, Felix Hamborg, Lada Rudnitckaia, and Bela Gipp. 2021a. Identification of biased terms in news articles by comparison of outlet-specific word embeddings. In *Proceedings of the iConference 2021*.
- Timo Spinde, Manuel Plank, Jan-David Krieger, Terry Ruas, Bela Gipp, and Akiko Aizawa. 2021b. Neural media bias detection using distant supervision with BABE - bias annotations by experts. In *Findings of the Association for Computational Linguistics: EMNLP 2021*, pages 1166–1177, Punta Cana, Dominican Republic. Association for Computational Linguistics.
- Isidora Tourni, Lei Guo, Taufiq Husada Daryanto, Fabian Zhafransyah, Edward Edberg Halim, Mona Jalal, Boqi Chen, Sha Lai, Hengchang Hu, Margrit Betke, Prakash Ishwar, and Derry Tanti Wijaya. 2021. Detecting frames in news headlines and lead images

in U.S. gun violence coverage. In *Findings of the Association for Computational Linguistics: EMNLP* 2021, pages 4037–4050, Punta Cana, Dominican Republic. Association for Computational Linguistics.

- Oren Tsur, Dan Calacci, and David Lazer. 2015. A frame of mind: Using statistical models for detection of framing and agenda setting campaigns. In *Proceedings of the 53rd Annual Meeting of the Association for Computational Linguistics and the 7th International Joint Conference on Natural Language Processing (Volume 1: Long Papers)*, pages 1629– 1638, Beijing, China. Association for Computational Linguistics.
- David Vilar, Jia Xu, Luis Fernando D'Haro, and Hermann Ney. 2006. Error analysis of statistical machine translation output. In *Proceedings of the Fifth International Conference on Language Resources and Evaluation (LREC'06)*, Genoa, Italy. European Language Resources Association (ELRA).
- Alden Williams. 1975. Unbiased study of television news bias. *Journal of Communication*, 25(4):190–199.
- Caleb Ziems and Diyi Yang. 2021. To protect and to serve? analyzing entity-centric framing of police violence. In *Findings of the Association for Computational Linguistics: EMNLP 2021*, pages 957–976, Punta Cana, Dominican Republic. Association for Computational Linguistics.

A List of Papers Included

Table 2 (on the next page) lists our body of literature, identified as described in Section 1.1, and indicates which of our three disconnects are addressed in each paper (if any). The table caption explains our labelling procedure.

| Paper | Local/Global | Dynamics | Comparison |
|-----------------------------|--------------|----------|------------|
| Ajjour et al. (2019) | | | |
| Aksenov et al. (2021) | | | |
| Akyürek et al. (2020) | | | |
| Ali and Hassan (2022) | | | |
| Baly et al. (2020) | | | |
| Baumer et al. (2015) | | | |
| Cacciatore et al. (2016) | | | |
| Card et al. (2015) | | | |
| Card et al. (2022) | | Х | |
| Chen et al. (2020a) | Х | | |
| Chen et al. (2020b) | Х | | |
| Chen et al. (2018) | | | |
| Chong and Druckman (2007) | | | |
| Chyi and McCombs (2004) | | | |
| Dallmann et al. (2015) | | | |
| de Vreese (2005) | | | |
| Entman (1993) | | | |
| Entman (2007) | | | |
| Fan et al. (2019) | Х | | |
| Field et al. (2018) | | Х | |
| Frermann et al. (2023) | Х | | |
| Gentzkow and Shapiro (2010) | | | |
| Ghanem (1997) | | | |
| Giles and Shaw (2009) | | | |
| Gross (2008) | | | |
| Guo and Zhu (2022) | | | |
| Hamborg (2020) | | | |
| Hamborg et al. (2019) | | | |
| Hartmann et al. (2019) | | | |
| Hernández (2018) | Х | Х | |
| Hong et al. (2023) | Х | | |
| Iyyer et al. (2014) | | | |
| Ji and Smith (2017) | | | |
| Khanehzar et al. (2023) | | | |
| Khanehzar et al. (2019) | | | |
| Khanehzar et al. (2021) | | | |
| Kiesel et al. (2019) | | | |
| Kulkarni et al. (2018) | | | |
| Kwak et al. (2020) | | X | |

Continued on next page

| Paper | Local/Global | Dynamics | Comparison |
|---------------------------|--------------|----------|------------|
| Lee et al. (2022) | | | |
| Lei et al. (2022) | | | |
| Lim et al. (2020) | | | |
| Lin et al. (2006) | | | |
| Liu et al. (2021) | | | |
| Liu et al. (2019) | | | |
| Liu et al. (2023) | | | Х |
| McCarthy et al. (2008) | Х | | |
| McLeod et al. (2022) | | | |
| McQuail and Deuze (2020) | | | |
| Mendelsohn et al. (2021) | | | |
| Menini et al. (2017) | | | |
| Muschert and Carr (2006) | Х | | |
| Naderi and Hirst (2017) | | | |
| Piskorski et al. (2023b) | | | |
| Recasens et al. (2013) | | | |
| Roy and Goldwasser (2020) | | | |
| Scheufele (1999) | | | |
| Spinde et al. (2021a) | | | |
| Spinde et al. (2021b) | | | |
| Tourni et al. (2021) | | | |
| Tsur et al. (2015) | | | |
| Williams (1975) | Х | Х | |
| Ziems and Yang (2021) | | Х | |
| Total | 9 | 6 | 1 |

Table 2: Cited Literature. Papers marked as 'Local/Global' analyse media bias or framing, or provide data at different levels of granularity, ranging from words and sentences (or spans) to entire documents. For a paper to consider 'Dynamics', we required the study to include an analysis of the development of a topic across a specific axis, either temporal or spatial (across countries). Papers marked in the 'Comparison' column characterise bias or framing by explicitly contrasting data samples from different ideologies or political leanings.